

The new series elneos orgatower by erfi.



elneos® orgatower

the worktime experience

The new series elneos orgatower by erfi.

enjoy your work





As a manufacturer and market founder of workplace systems for industry, training and office, we have been successful for over 60 years. Due to a high manufacturing depth we guarantee the highest quality and precision according to Industry 4.0.

Come and visit our new customer center in Freudenstadt. Arrange your appointment under erfi Customer Center 07441 9144 - 404

We look forward to your visit!





elneos® orgatower

the worktime experience

The models of our new series elneos orgatower are flexible and modular organizational talents for all technical and commercial professions. The models meet all requirements in the industry and education to the same degree.

The elneos orgatowers extend the workplace by additional storage space and allow a flexible use through functional units. The elneos orgatowers are placed either to the left or right of the workstation. Some models also offer a free use from both sides.





elneos® orgatower the worktime experience

Content	Page
General product description	8-17
Body colours and front decors	18-21
Standard equipment	22-23
Optional equipment	24-27
Order configuration	28
Order information small orgatower (780 mm height)	29-32
Order information medium orgatower (900 mm height)	33-36
Order information large orgatower (1.200 mm height)	37-43

Flexible and compact

the worktime experience



Note: The models shown may include optional extras

Versatile and mobile

the worktime experience

This model offers different possibilities of use due to its two-part body. The seat offers a space for meetings and can be used with the upper part of the body retracted. The integral indication light signals whether the body is open or closed.



Note: The models shown



Functional and practical the worktime experience





Safe and tidy the worktime experience

The elneos orgatower for training offers mainly to accommodate a system of various didactic teaching aids. The DINA4 didactic teaching aids can be stored upright by using grooved mats and, above all, can be stored safely after and before the lessons.



the worktime experience

The models of the new series elneos orgatower are real organizational wonders. The interior of the cabinets can be retracted and extended manually or by electric motor as a flexible cabinet element. In the retracted state, the objects are safely stored and in the extended state freely accessible. The organisational units allow flexible use and, though electrification, various devices can be connected.

The features at a glance

- Lockable cabinet fronts and drawers
- Internal organization freely configurable
- Support rail for material chutes
- Touch-to-open drawer opening function
- Numerous front decors to match the outer body
- Recordings for DINA4 didactic teaching aids
- Electrification through internal profile technology
- Magnetic front as pinboard function
- Acoustic surfaces for sound insulation
- Electronic locking system with remote control
- Indication light for status display open-closed
- Twintower for use on both sides
- And much more





Outer corpus and inner body

Colours of the outer corpus

The outer corpus of the elneos orgatower is available in front white and graphite black. The colour of the outer body is coupled with the choice of a front decor. The combination of the front decors with two exterior body colours is shown on the following pages.

The front decors with order numbers ELCOD1 to ELCOD10 are available for the outer body in front white and the front decors with order numbers ELCOD11 to ELCOD20 are available for the outer body in graphite black.

Inner life and inner body

The inner body with all internal parts such as drawers, drawer fronts, side walls, shelves and pullouts is always equipped with front white decor as standard. The internal drawer fronts can also be ordered in the selected front decor as an option.

All order options for the elneos orgatower can be found on the following pages. The ordering process is explained in detail on page 28.

Laser-edge technology for all decors

Due to a new laser technology for edge fusion, we offer incomparable quality for all wood elements. All decors have a jointless connection with a permanent connection.

The fusion of edge and panel increases the heat resistance as well as the moisture resistance of the components. The colour of the material layer is exactly matched to the decorative layer and the result is a visual effect that of a full material. The laser edge technology has a special hardness of the material layer and the rubbing out of the joint in everyday life is prevented – dirt joints are a matter of the past.




All joints of the decors in laser-edge technology







Front decors for front white corpus






The front decors of the elneos orgatower


The decors offer a variety of possibilities to set specific accents. If you have decided for a front decor, you can optionally order the interior drawer fronts in the same decor. With decor ELCOD1, ELCOD2 and ELCOD11, its drawer fronts are always front white.

The special decor "Magnetic Front"

This special decor offers a magnetic pinboard function. Plans, notes etc. can be attached to the front of the orgatower with magnets. The decor is high-gloss and can be combined with a front white or graphite black body. Even if you choose an ESD-conductive version, this special decor can be used for the front.



Front decors for graphite black corpus









Standard plate material The core of the panel material consists of raw chipboard and meets the technical standards of DIN.

Technical data: Raw chipboard, chipboard with fine chipboard top layer according to DIN EN 312 CE. The board is coated on both sides with melamine resin. Chemical resistance: against organic solutions medium, weak acids and alkalis, petrol, oil. Bulk density: approx. 620 kg/m³

ESA-conductive plate material

With this material, the entire outer body, the inner body and all drawers are manufactured in ESD design (front decor Order no.: ELCOD11). The models also have metal height adjusters and a socket for safe earthing.

Technical data: ESA raw chipboard, electrostatically conductive raw chipboard with fine chipboard surface layer in accordance with DIN 61340-5 Parts 1 and 2 (volume-conductive). The plate is coated on both sides with a conductive melamine resin coating. Chemical resistance: against organic solvents medium, weak acids and alkalis, petrol, oil. Contact resistance: R_D 1x10⁴ till 1x10⁹ Ohm Bulk density: approx. 620 kg/m³

Note: The decor representation on the monitor or in the print version may differ from the original decor.

20 | elneos® orgatower 21 | elneos® orgatowe

erf

Standard equipment

Mounting profile Office filing units Laser-edge technology Drawer fronts with Locker touch-to-open function

Standard equipment of the models

Each model offers different possibilities. For example, in model 1, the shelves are equipped with and model 58 offers a wide range of special function a lockable mailbox.

Hanging files and drawers

The devices for hanging files are generally included if the drawer height is 6 U (models 45, 48, 59). All internal drawers are fully organisable and can be opened via touch-to-open.

Mounting profiles

The mounting profiles and rails for material trays or office filing elements are ready for use configured set (models 4, 29, 30, 45).

Shelves with grooved mats

For space-saving and safe storage of DINA4 didactic teaching aids, these shelves are equipped with grooved mats (models 1, 2, 20, 21, 40, 41).

Letter slot and brochure holder

For internal mail, Model 58 offers a mail slot combined with a lockable subject. In addition, this model offers a holder for magazines or brochures.

Valuable compartment with lock

Some models have a lockable compartment for storing important documents (models 45, 46, 47, 48, 58).

Manual locking

All models can be closed manually as standard (Soft-close) and locked with a lock. Twintowers are equipped with two locks. Electronic central locking is available as an option (optional extra on page 24-27).

Electrification

Some models offer electrification via the Expand 2 aluminium profile with shockproof sockets and RJ45 sockets (7, 27, 45, 50, 51, 52, 53, 54, 58).

Brush strip and cable gland

The brush strip and the cable outlet in the shelf allows cables to pass through. This allows devices to be connected even when on different levels. (models 7, 27, 28, 50, 52).

Seat cushion

The seat cushion is only available for the small and large elneos orgatower. Front decors with a wood decor, the cushion colour changes automatically from green to black (models 13, 14, 53, 54, 55, 56).



Shelves with grooved mats



Seat cushion in green



Brush strip in shelf



Suspension file in drawer with 6 HE

Optional equipment

Deposit channel and functional groove Indication light Aluminium profile Expand 2 with electrification

Special equipment

In addition to the standard equipment you have the Possibility to order additional functions. The order numbers can be found at the end of the text.

Indication light

The indication light indicates whether the elneos orgatower is open or closed. The red light color indicates the open state and green indicates the closed state. The aluminium profile of the indication light provides edge protection, a storage channel for small utensils and a functional groove.

Order no.: ELCO100.1

Electronic central locking system

The electronic central locking function is supplied with a transponder for locking.

Order no.: ELCO100.2

Motorised pull-out with radio remote control

The motorized pull-out enables the motorized retraction and extension of the inner body (not in the connection with electronic central locking).

Order no.: ELCO100.3

Cable sets for cabling in series

The cable sets are suitable for elneos orgatower, which stand between two tables. A rear mounted cable duct allows the cabling in series and a corresponding screen serves as privacy screen. The cable set includes a correspondingly wide cover and a cable duct with or without electrification. The front panel decor is adapted to the respective colour of the outer body and also the front panel width to the selected model.



- Cover in 50 mm depth
- PVC cable duct, pure white, access from above

Order no.: ELCO100.4

Cable set table depth 850 mm Cable set table depth 1000 mm

- Cover in 200 mm depth with cable outlet socket
- Aluminium cable duct (empty), access from above

Order no.: ELCO100.5



Cable set electrification table depth 1000 mm


- Cover in 200 mm depth with cable outlet socket
- Aluminium cable duct with 3 sockets and 2 RJ45 sockets, access from above

Order no.: ELCO100.6



24 | elneos® orgatower 25 | elneos® orgatower





Acoustic surface Room acoustic orgatower with acoustic decor in the outer body and the front.

Room acoustic orgatower

The elneos orgatower can also be ordered as room-acoustic furniture with an acoustic decor. This acoustic decor is only available in decor colour front white for the outer and inner body. The side walls, the rear wall of the outer body and the outer front of the extendable inner body are manufactured in a sound-absorbing surface.

The acoustic surfaces are used for sound absorption of speech, noises and sounds in accordance with the surroundings. All models optionally available.

Order no.: ELCO100.7

This special equipment brings the acoustic functionality into harmony with the formal aesthetics which noticeably improves the working atmosphere. The orgatower is positioned as a functional and aesthetic room element in industrial laboratories as well as in classrooms in all subject areas. The material guarantees a short reverberation time and a very high degree of sound absorption.

Structure of the acoustic surface

- A) HDF-deck with perforated direct coating
- B) Circulating frame
- C) Optimized acoustic fleece
- D) Acoustic absorbing special filler

A B C C D C C A

Technical data and features

Sound absorption coefficient (α)

The sound absorption coefficient α indicates the ratio of the absorbed part of the sound to the occurring strength of the sound. If the sound is completely reflected, the following applies $\alpha=0$, in the case of complete absorption is $\alpha=1$. The high-quality acoustic materials used here have a weighted sound absorption coefficient of $\alpha=0.75$.

Equivalent sound absorption area A

Multiply the sound absorption coefficient (α) of the component by its area in m^2 , the sound-absorbing efficiency is obtained in m^2 or the equivalent sound absorption surface A. This is a model surface which absorbs completely, i.e. whose sound absorption coefficient = 1.

All absorption properties are concentrated in this area, which can be thought of as an open window area. On average, the following equivalent sound absorption areas A result:

Small models (780 mm height): $A = 1,23 \text{ m}^2$ Medium models (900 mm height): $A = 1,42 \text{ m}^2$ Large models (1.200 mm height): $A = 1,89 \text{ m}^2$

A large model therefore provides an area of 1.89 m², which absorbs sound 100%. If 10 of these elneos orgatowers are used in a room, 18.9 m² contribute of the sound absorption in the room.

Improved reverberation time

If the acoustic components are installed in the elneos orgatower, the reverberation time improves significantly. By shortening the reverberation time, maximum intelligibility of the speech is achieved.

Economic aspect

Due to the visually unobtrusive integration of the acoustic components, very good sound absorption can be achieved. Additional sound absorption panels to be attached to ceilings and walls can in most cases be reduced in order to reduce the overall costs.

Note: In addition to furnishings, ceiling, floor and wall materials determine room acoustics.

elneos orgatower - the worktime experience

elneos® orgatower – small

Order configuration

Configuration of the models

With the series elneos orgatower we offer you numerous models, which you can adapt additionally. An order builds itself by several order numbers:

- 1. choice of model
- 2. choice of the front decor
- 3. option drawer front in front decor
- 4. option special equipment

1. Choice of model

Select a model with the appropriate ordering number Order no.: ELCO100.8 from pages 29 to 43. Once you have selected a model, select ".L" for left of the table or ".R" for right of the table. Replace the .X after the model number with a ".L" or ".R".

Some models have a twin option and can be used on 24 to 27. both sides with the same equipment. These models have the twin option and no ".L" or ".R" is specified.

ELCO.3 .X Orientation (replace Model X with .L or .R)



Order example left

Model: ELCO27.L (Model 27, Left) Front decor: ELCOD3 (Chartreuse Green) Option: ELCO100.8 (drawer fronts in front decor)

2. Choice of the front decor

Select a front decor of the orgatower from pages 18 and 19. The choice of the front decor determines the colour of the outer body.

3. Option drawer front in front decor

Optionally, you can order the internal drawer fronts in the selected front decor. This applies to all front decors except ELCOD1, ELCOD2 and ELCOD11. To order this option, use your own order number.

4. Option special equipment

Functions such as indication light or central locking are optional and have their own order number. For information on optional extras, please refer to pages



Order example right

Model: ELCO47 (Model 47, Twin) Front decor: ELCOD18 (Walnut California)




Order no. as shown: ELCO1 (Twintower)

Order no.: ELCO1

H810 x W 622 x D 800 mm, open D 1500 mm Twintower for double-sided use **Equipment inner body:**

• 1 shelf for DIN A4 teaching material, or didactic boards per side

Order no. as shown: ELCO2.L (left-hand version)




Order no.: ELCO2.X

H810 x W622 x D800 mm, open D1500 mm **Equipment inner body:**

• 2 shelves for DIN A4 teaching aids, or didactic boards per side



Order no. as shown: ELCO3.L (left-hand version)




Order no.: ELCO3.X

H 780 x W 500 x D 800 mm, open D 1380 mm **Equipment inner body:**

- 2 shelves, divided by 1 pull-out shelf
- 1 large drawer 2 HU
- 1 shelf
- 1 large drawer 2 HU

Order no. as shown: ELCO4.L (left-hand version)



Order no.: ELCO4.X

H 780 x W 500 x D 800 mm, open D 1380 mm **Equipment inner body:**

- 1 mounting rail incl. gripper bowl set
- 1 pull-out shelf
- 1 large drawer 2 HU
- 2 shelves with adjustable shelf

Note: OH = Folder height; FA = Pull-out shelf; FF = Fixed shelf; FV = Adjustable shelf; usable size DIN A4 drawer: NB 327 x NT 330 mm, usable size large drawer: NB 490 x NT 326 mm; container drawers NT 690 mm (models 31-32 and 59-62)

28 | elneos® orgatower 29 | elneos® orgatower


elneos® orgatower – small

erf

elneos® orgatower – small



Order no. as shown: ELCO5.L (left-hand version)




Order no.: ELCO5.X

H 780 x W 500 x D 800 mm, open D 1380 mm **Equipment inner body:**

- 1 shelf
- 2 large drawers 2 HU
- 1 large drawer 3 HU



Order no. as shown: ELCO9 (Twintower)



Order no.: ELCO9


 $H780 \times W400 \times D800$ mm, open D1500 mm Twintower for double-sided use

Equipment inner body:

• 1 shelf per side



Order no. as shown: ELCO6.L (left-hand version)




Order no.: ELCO6.X

H 780 x W 500 x D 800 mm, open D 1380 mm **Equipment inner body**:

- 1 large drawer 2 HE
- 2 shelves with fixed shelf



Order no. as shown: ELCO10.L (left-hand version)




Order no.: ELCO10.X

H 780 x W 500 x D 800 mm, open D 1380 mm **Equipment inner body:**

- 1 shelf
- 1 large drawer 2 HU
- 1 large drawer 3 HU



Order no. as shown: ELCO7.L (left-hand version)




Order no.: ELCO7.X

H 780 x W 400 x D 800 mm, open D 1500 mm **Equipment inner body**:

- 1 shelf with brush strip
- 2 x 2 RJ45 sockets, Cat. 6, 8-pin
- 2 x 2 shockproof sockets
- 2 shelves divided by 1 pull-out shelf



Order no. as shown: ELCO11.L (left-hand version)




Order no.: ELCO11.X

H 780 x W 500 x D 800 mm, open D 1500 mm **Equipment inner body**:

- 1 storage tray on top
- 1 shelf
- 2 DIN A4 drawers 3 HU
- 2 shelves with fixed shelf



Order no. as shown: ELCO8 (Twintower)



Order no.: ELCO8


H 780 x W 400 x D 800 mm, open D 1500 mm Twintower for double-sided use

Equipment inner body:

• 2 shelves per side



Order no. as shown: ELCO12.L (left-hand version)



Order no.: ELCO12.X

 $H780 \times W400 \times D800$ mm, open D1500 mm **Equipment inner body**:


- 1 laptop shelf
- 2 shelves with fixed shelf

Note: OH = Folder height; FA = Pull-out shelf; FF = Fixed shelf; FV = Adjustable shelf; usable size DIN A4 drawer: NB 327 x NT 330 mm, usable size large drawer: NB 490 x NT 326 mm; container drawers NT 690 mm (models 31-32 and 59-62)

elneos® orgatower – medium

elneos® orgatower – small

Order no. as shown: ELCO13.L (left-hand version)




Order no.: ELCO13.X

H 780 x W 500 x D 800 mm, open D 1380 mm **Equipment inner body:**

- 1 seat
- 1 large drawer 2 HU
- 1 large drawer 3 HU

Order no. as shown: ELCO20 (Twintower)



Order no.: ELCO20


H 900 x W 622 x D 800 mm, open D 1500 mm Twintower for double-sided use

Equipment inner body:

- 1 split top storage tray
- 1 shelf for DIN A4 teaching aids, or didactic boards per side



Order no. as shown: ELCO14 (Twintower)




Order no.: ELCO14

H 780 x W 400 x D 800 mm, open D 1500 mm Twintower for double-sided use **Equipment inner body:**

- 1 seat
- 1 tray per side



Order no. as shown: ELCO21.L (left-hand version)



Order no.: ELCO21.X

H 900 x W 622 x D 800 mm, open D 1500 mm **Equipment inner body:**

- 1 laptop tray
- 2 shelves for DIN A4 teaching aids, or didactic boards



Order example left

Model: ELCO11.L (Model 11, Left), Front decor: ELCOD14 (Piedmont Oak Mocha), Option: ELCO100.8 (drawer fronts in front decor)

Order example middle


Model: ELCO1.L (Model 1, Left), Front decor: ELCOD12 (Maple Kiruna)

Order example rigth

Model: ELCO14.L (Model 14, Twintower) Front decor: ELCOD16 (Douglas fir White)



Order no. as shown: ELCO22.L (left-hand version)




Order no.: ELCO22.X

H 900 x W 400 x D 800 mm, open D 1500 mm **Equipment inner body:**

- 1 storage tray
- 2 shelves with fixed shelf



Order no. as shown: ELCO23 (Twintower)



Order no.: ELCO23

H 900 x W 400 x D 800 mm, open D 1500 mm Twintower for double-sided use

Equipment inner body:

• 2 shelves per side


Note: OH = Folder height; FA = Pull-out shelf; FF = Fixed shelf; FV = Adjustable shelf; usable size DIN A4 drawer: NB 327 x NT 330 mm, usable size large drawer: NB 490 x NT 326 mm; container drawers NT 690 mm (models 31-32 and 59-62)

32 | elneos® orgatower 33 | elneos® orgatower

elneos® orgatower – medium

elneos® orgatower – medium

Order no. as shown: ELCO24.L (left-hand version)




Order no.: ELCO24.X

H 900 x W 500 x D 800 mm, open D 1380 mm **Equipment inner body:**

- 1 shelf
- 1 large drawer 3 HU
- 1 large drawer 4 HU



Order no. as shown: ELCO28.L (left-hand version)




Order no.: ELCO28.X

H 900 x W 500 x D 800 mm, open D 1380 mm **Equipment inner body:**

- 1 storage with brush strip
- 1 shelf with pull-out shelf
- 3 large drawers 2 HU
- 1 large drawer 4 HU



Order no. as shown: ELCO25 (Twintower)




Order no.: ELCO25

H 900 x W 500 x D 800 mm, open D 1500 mm Twintower for double-sided use **Equipment inner body:**

- 1 split shelf
- 2 DIN A4 drawers 3 HU per side
- 1 shelf per page



Order no. as shown: ELCO29.L (left-hand version)




Order no.: ELCO29.X

H 900 x W 500 x D 800 mm, open D 1380 mm **Equipment inner body:**

- 2 mounting rails incl. gripper bowl set
- 1 pull-out shelf
- 1 large drawer 2 HU
- 1 large drawer 3 HU
- 1 shelf



Order no. as shown: ELCO26 (Twintower)



Order no.: ELCO26


H 900 x W 400 x D 800 mm, open D 1500 mm Twintower for double-sided use

Equipment inner body:

- 1 split shelf
- 2 shelves per side



Order no. as shown: ELCO30.L (left-hand version)




Order no.: ELCO30.X

H 900 x W 500 x D 800 mm, open D 1380 mm **Equipment inner body:**

- 2 mounting rails incl. gripper bowl set
- 1 pull-out shelf
- 1 large drawer 2 HU
- 2 shelves with fixed shelf



Order no. as shown: ELCO27.L (left-hand version)




Order no.: ELCO27.X

H 900 x W 500 x D 800 mm, open D 1380 mm **Equipment inner body:**

- 1 storage with brush strip
- 2 shockproof sockets
- 2 RJ45 sockets, Cat. 6, 8-pin
- 1 shelf with pull-out shelf
- 2 large drawers 2 HU
- 1 large drawer 4 HU



Order no. as shown: ELCO31.L (left-hand version)



Order no.: ELCO31.X

H 900 x W 430 x D 800 mm, open D 1500 mm **Equipment inner body:**

- 1 pull-out with 3 drawers
- 1 material tray for hanging up

Note: OH = Folder height; FA = Pull-out shelf; FF = Fixed shelf; FV = Adjustable shelf; usable size DIN A4 drawer: NB 327 x NT 330 mm, usable size large drawer: NB 490 x NT 326 mm; container drawers NT 690 mm (models 31-32 and 59-62)


34 | elneos® orgatower 35 | elneos® orgatower

elneos® orgatower – large

erf

elneos® orgatower – medium

Order no. as shown: ELCO32.L (left-hand version)



Order no.: ELCO32.X

H 900 x W 430 x D 800 mm, open D 1500 mm **Equipment inner body**:

- 1 material excerpt
- 1 pull-out with 3 drawers
- 1 file bottom insert with screen


Order example left

Model: ELCO24.L (Model 24, Left), Front decor: ELCOD19 (Pine Fano), Option: ELCO100.8 (drawer fronts in front decor)

Order example rigth

Model: ELCO25 (Model 24, Twintower),
Front decor: ELCOD3 (Chartreuse Green),
Option: ELCO100.8 (drawer fronts in front decor)

Order no. as shown: ELCO40.L (left-hand version)




Order no.: ELCO40.X H 1200 x W 622 x D 800

H 1200 x W 622 x D 800 mm, open D 1500 mm **Equipment inner body:**

- 1 laptop tray on top
- 3 shelves for DIN A4 teaching aids, or didactic boards



Order no. as shown: ELCO41 (Twintower)



Order no.: ELCO41


H 1200 x W 622 x D 800 mm, open D 1500 mm Twintower for double-sided use **Equipment inner body:**

Equipment inner body:

- 1 split shelf
- 3 shelves for DIN A4 teaching aids, or didactic boards, both sides open in the middle, alternately open top and bottom



Order no. as shown: ELCO42.L (left-hand version)




Order no.: ELCO42.X

H 1200 x W 400 x D 800 mm, open D 1500 mm **Equipment inner body:**

• 3 shelves with fixed shelf



Order no. as shown: ELCO43.L (left-hand version)



Order no.: ELCO43.X

H 1200 x W 500 x D 800 mm, open D 1380 mm **Equipment inner body:**

- 1 top storage tray
- 2 shelves
- 1 large drawer 2 HU
- 1 large drawer 3 HU

Note: OH = Folder height; FA = Pull-out shelf; FF = Fixed shelf; FV = Adjustable shelf; usable size DIN A4 drawer: NB 327 x NT 330 mm, usable size large drawer: NB 490 x NT 326 mm; container drawers NT 690 mm (models 31-32 and 59-62)

elneos® orgatower – large

elneos® orgatower – large



Order no. as shown: ELCO44.L (left-hand version)

Order no.: ELCO44.X

H 1200 x W 500 x D 800 mm, open D 1500 mm **Equipment inner body:**


- 1 top storage tray
- 1 material drawer
- 2 DIN A4 drawers 2 HU
- 2 DIN A4 drawers 3 HU
- 2 DIN A4 drawers 4 HU
- 3 shelves with fixed shelf

Order no. as shown: ELCO45.L (left-hand version)


Order no.: ELCO45.X

H 1200 x W 500 x D 800 mm, open D 1500 mm **Equipment inner body:**

- 1 mounting rail incl. DIN A4 storage tray and pen holder
- 1 flip with 1 shockproof socket, 2 USB sockets, 2 RJ45 sockets, Cat. 6, 8-pin
- 2 DIN A4 drawers 3 HU
- 1 DIN A4 drawer for suspension file 6 HU
- 2 lockable safe-deposit boxes



Order no. as shown: ELCO48.L (left-hand version)




Order no.: ELCO48.X

H 1200 x W 500 x D 800 mm, open D 1500 mm **Equipment inner body:**

- 3 DIN A4 drawers 3 HU
- 1 wide drawer for suspension file 6 HU
- 1 locker per side



Order no. as shown: ELCO49 (Twintower)



Order no.: ELCO49

H 1200 x W 400 x D 800 mm, open D 1500 mm Twintower for double-sided use

Equipment inner body:

• 2 shelves per side

Order no.: ELCO46 **Equipment inner body:** • 2 shelves per side

Order no. as shown: ELCO46 (Twintower)




H 1200 x W 500 x D 800 mm, open D 1500 mm Twintower for double-sided use

- 1 DIN A4 drawer 3 HU per side
- 1 locker per side



Order no. as shown: ELCO50.L (left-hand version)




Order no.: ELCO50.X

H 1200 x W 500 x D 800 mm, open D 1380 mm **Equipment inner body:**

- 4 shockproof sockets
- 4 USB sockets
- 2 RJ45 sockets, Cat. 6, 8-pin
- shelf with brush strip and cable outlet
- 2 shelves, divided by 1 pull-out shelf
- 2 large drawers 2 HU
- 1 large drawer 3 HU



Order no. as shown: ELCO47 (Twintower)




Order no.: ELCO47

H 1200 x W 500 x D 800 mm, open D 1500 mm Twintower for double-sided use **Equipment inner body:**

- 1 shelf per side
- 1 DIN A4 drawer 3 HU per side
- 1 locker per side





Order no. as shown: ELCO51.L (left-hand version)

Order no.: ELCO51.X

H 1200 x W 500 x D 800 mm, open D 1500 mm **Equipment inner body:**

- 2 shockproof sockets
- 2 RJ45 sockets, Cat. 6, 8-pin
- 1 pull-out shelf
- 2 shelves with adjustable shelf
- 2 DIN A4 drawers 2 HU
- 1 DIN A4 drawer 3 HU
- 1 shelf

Note: OH = Folder height; FA = Pull-out shelf; FF = Fixed shelf; FV = Adjustable shelf; usable size DIN A4 drawer: NB 327 x NT 330 mm, usable size large drawer: NB 490 x NT 326 mm; container drawers NT 690 mm (models 31-32 and 59-62)

38 | elneos® orgatower 39 | elneos® orgatower

erf

elneos® orgatower - large




Order no.: ELCO52.X

H 1200 x W 500 x D 800 mm, open D 1380 mm **Equipment inner body**:

- storage with brush strip
- 2 shockproof sockets
- 2 RJ45 sockets, Cat. 6, 8-pin
- 1 shelf with pull-out shelf
- 2 large drawers 2 HU
- 1 large drawer 3 HU
- 1 shelf





ELCO52.L (left-hand version)

Order no.: ELCO53.X

H 1200 x W 500 x D 800 mm, open D 1380 mm **Equipment inner body top:**


- 3 shockproof sockets
- 2 RJ45 sockets, Cat. 6, 8-pin
- 2 shelves, divided by 1 pull-out shelf

Equipment inner body bottom:

- seat cushion
- 1 large drawer 2 HU
- 1 large drawer 3 HU

Order no. as shown: ELCO54.L (left-hand version)

ELCO55.L (left-hand version)



Order no.: ELCO54.X

H 1200 x B 500 x T 800 mm, open T 1380 mm **Equipment inner body top:**

- 3 shockproof sockets
- 2 RJ45 sockets, Cat. 6, 8-pin
- 1 shelf, 1 large drawer 2 HU
- 1 large drawer 3 HU

Equipment inner body bottom:

- seat cushion
- 1 large drawer 2 HU
- 1 large drawer 3 HU



Order no. as shown:

Order no.: ELCO55.X

H 1200 x W 500 x D 800 mm, open D 1500 mm **Equipment inner body top:**

- 1 shelf
- 1 DIN A4 drawer 3 HE
- 2 shelves with fixed shelf


Equipment inner body bottom:

- seat cushion
- 1 shelf

elneos® orgatower – large



Order no. as shown: ELCO56 (Twintower)




Order no.: ELCO56


H 1200 x W 400 x W 800 mm, open W 1500 mm Twintower for double-sided use

Equipment inner body top:

- 2 shelves with fixed shelf per side
- **Equipment inner body bottom:**
- seat cushion
- 1 shelf per side







Order no.: ELCO57

H 1200 x W 500 x D 800 mm, open D 1500 mm Twintower for double-sided use


Equipment inner body top:

- 2 shelfs
- 1 DIN A4 drawers 3 HU

Equipment inner body bottom:

- 2 shelfs
- 1 DIN A4 drawers 3 HU





Order no. as shown: ELCO58.L (left-hand version)

Order no.: ELCO58.X

H 1200 x W 500 x D 1210 mm, open D 1910 mm

Equipment of outer body front:

- 1 shelf
- 1 postbox lockable and mail slot on the front side
- 2 DIN A4 drawers 2 HU
- 2 DIN A4 drawers 5 HU

Equipment inner body middle:

- flip with 1 shockproof socket, 2 USB sockets, 2 RJ45 sockets, Cat. 6, 8-pin
- 1 locker
- 2 shelves with fixed shelf
- 2 shelves with fixed shelf and 1 pull-out shelf
- 1 DIN A4 drawers 2 HU
- 1 DIN A4 drawers 7 HU


Note: OH = Folder height; FA = Pull-out shelf; FF = Fixed shelf; FV = Adjustable shelf; usable size DIN A4 drawer: NB 327 x NT 330 mm, usable size large drawer: NB 490 x NT 326 mm; container drawers NT 690 mm (models 31-32 and 59-62)

elneos® orgatower – large

elneos® orgatower – large



Order no. as shown: ELCO59.L (left-hand version)




Order no.: ELCO59.X

H 1200 x W 430 x D 800 mm, open D 1500 mm **Equipment inner body:**

- 1 material excerpt
- 1 pull-out with 3 drawers
- 1 file bottom insert with screen
- 1 hanging file insert with 2 dividers

Order no. as shown: ELCO60.L (left-hand version)




Order no.: ELCO60.X

H 1200 x W 430 x D 800 mm, open D 1500 mm **Equipment inner body:**

- 1 material excerpt
- 1 pull-out with 3 drawers
- 2 folder bottom inserts with screen



Order no. as shown: ELCO61 (Twintower)



Order no.: ELCO61


H 1200 x W 430 x D 800 mm, open D 1500 mm Twintower for double-sided use

Equipment inner body:

- 1 material excerpt
- 1 pull-out with 4 drawers



Order no. as shown: ELCO62 (Twintower)



Order no.: ELCO62

H 1200 x W 430 x D 800 mm, open D 1500 mm Twintower for double-sided use

Equipment inner body:

- 1 material excerpt
- 1 pull-out with 3 drawers
- 2 folder base inserts 1x right, 1x left

Order example top left Model: ELCO44.L (Model 44, Left), Front decor: ELCOD18 (Walnut California); Order example top middle Model: ELCO53.L (Model 53, Left), Front decor: ELCOD3 (Chartreuse Green);

Order example top rigth

Order example bottom left

Model: ELCO51.L (Model 51, Left),

Front decor: ELCOD1 (Front White);

Model: ELCO61 (Model 61, Twintower),

Front decor: ELCOD15 (Chestnut Wenge);

Note: OH = Folder height; FA = Pull-out shelf; FF = Fixed shelf; FV = Adjustable shelf; usable size DIN A4 drawer: NB 327 x NT 330 mm, usable size large drawer: NB 490 x NT 326 mm; container drawers NT 690 mm (models 31-32 and 59-62)

42 | elneos® orgatower 43 | elneos® orgatower

Imprint (German)

erfi Ernst Fischer GmbH + Co.KG Alte Poststraße 8, 72250 Freudenstadt, Germany Phone +49 (0) 7441 9144-0 Telefax +49 (0) 7441 9144-477 erfi@erfi.de www.erfi.de

Product design: erfi-Designteam

Advertising concept: Prof. Petra Müller-Csernetzky

Technical and formal changes reserved.

The catalogue contains illustrations which may contain special equipment.

EOT-0219-MC01



erfi Ernst Fischer GmbH + Co.KG Alte Poststrasse 8 72250 Freudenstadt • Germany Phone +49 (0) 7441 9144-0 Telefax +49 (0) 7441 9144-477 erfi@erfi.de • www.erfi.de